



Exceed™ high performance polypropylene

Exceed™ PP7755KNE1 empowers thin wall injection molding (TWIM) and brings innovative food container solution



High flowability



Excellent low-temperature impact resistance



Improved cycle time with better processability

Polymer properties

Physical		Test based on	Typical Value
Melt Flow Rate (230 °C/2.16 kg)		ASTM D1238	75 g/10min
Mechanical			
Tensile Stress @ Yield (50 mm/min)		ISO 527	23.6 Mpa
Flexural Modulus (2 mm/min)		ISO 178	1310 Mpa
Impact			
Notched Izod Impact Strength	@ 23°C	ISO 180/A	7.7 kJ/m²
	@ -18°C		4.0 kJ/m²
Notched Charpy Impact Strength	@ 23°C	ISO 179/1eA	8.0 kJ/m²
	@ -20°C		3.5 kJ/m²
Gardner Impact @ -29°C		ASTM D5420	17.5 J



Scan for more information



For more information: exxonmobilchemical.com/pp



© 2025 ExxonMobil. ExxonMobil, the ExxonMobil logo, the interlocking "X" device and other product or service names used herein are trademarks of ExxonMobil, unless indicated otherwise. This document may not be distributed, displayed, copied or altered without ExxonMobil's prior written authorization. To the extent ExxonMobil authorizes distributing, displaying and/or copying of this document, the user may do so only if the document is unaltered and complete, including all of its headers, footers, disclaimers and other information. You may not copy this document to or reproduce it in whole or in part on a website. ExxonMobil does not guarantee the typical (or other) values. Any data included herein is based upon analysis of representative samples and not the actual product shipped. The information in this document relates only to the named product or materials when not in combination with any other product or materials. We based the information on data believed to be reliable on the date compiled, but we do not represent, warrant, or otherwise guarantee, expressly or impliedly, the merchantability, fitness for a particular purpose, freedom from patent infringement, suitability, accuracy, reliability, or completeness of this information or the products, materials or processes described. The user is solely responsible for all determinations regarding any use of material or product and any process in its territories of interest. We expressly disclaim liability for any loss, damage or injury directly or indirectly suffered or incurred as a result of or related to anyone using or relying on any of the information in this document. This document is not an endorsement of any non-ExxonMobil product or process, and we expressly disclaim any contrary implication. The terms "we," "our," "ExxonMobil Product Solutions" and "ExxonMobil" are each used for convenience, and may include any one or more of ExxonMobil Product Solutions Company, Exxon Mobil Corporation, or any affiliate either directly or indirectly stewarded.

360HD electric injection molding machine

东华机械
WELLTEC

The D-series all-electric injection molding machines, developed by Welltec Machinery with 20 years of design experience in all-electric injection molding machines, feature perfect coordinated control functions. This makes the entire machine more responsive and achieves higher control accuracy. The position accuracy of each moving axis such as injection, melting glue, mold opening and closing, and ejection can reach extremely high precision levels, making it suitable for the fully automated production of precision products. It has established a good reputation and acclaim in industries like medical care, new energy vehicles, and packaging.

At this exhibition, Welltec's showcased 360HD all-electric injection molding machine demonstrated to users the rapid production of yogurt cups on-site. By providing a one-stop solution, it efficiently and quickly produces products. The production cycle for 12-cavity yogurt cups reaches an industry-leading level of minimum 4.85 seconds.

* Above information are provided by Welltec Machinery Ltd.



Welltec Machinery Limited. Booth 12A31
<https://www.donghua-ml.com>

What's new: **ExxonMobil Signature Polymers**

All our polymers are now positioned under a single portfolio brand: Signature Polymers. The aim is to simplify our product architecture and naming to improve portfolio navigation for you. We would like to stress that our commitment to high quality products remains the same. The composition of the products remains the same, it is the names that change. We will be making these modifications over the next few months, through mid 2025, so you will see both old and new grade names highlighted during that time.

Want to see what's changed in our portfolio? Go to exxonmobilchemical.com/sptransform

ExxonMobil
Signature Polymers

Bring your impossible

ExxonMobil Signature Polymers was born from the belief that people fuel progress. From automotive and construction to packaging, agriculture, industrial, and beyond, we leverage the scale and reach of ExxonMobil to deliver the insights and innovations that empower our diverse, global partners to take their businesses to new heights. We continuously work to provide the listen-first, service-driven, gamechanging collaboration that unlocks opportunities for our partners and advances their sustainability and business goals.