

# Product Safety Summary

JAYFLEX™ DIDA Plasticizer

**ExxonMobil**  
Chemical

This Product Safety Summary document is a high-level summary intended to provide the general public with an overview of product safety information on this chemical substance. It is not intended to provide emergency response, medical or treatment information, or to provide a discussion of all safety and health information. This document is not intended to replace the Material Safety Data Sheet. Warnings and handling precautions provided below are not intended to replace or supersede manufacturers' instructions and warning for their consumer products which may contain this chemical substance.

## 1. Chemical Identity

Jayflex™ DIDA Plasticizer is a high molecular weight adipate plasticizer used primarily in flexible PVC applications.

**CAS No.** 27178-16-1

**Chemical Name:**

Hexanedioic acid, 1,6-diisodecyl ester

**Other Names:**

Diisodecyl Adipate (DIDA)

Adipic acid, diisodecyl ester

## 2. Product Uses

Jayflex adipate plasticizers can be used as a primary plasticizer but, more typically, are used in blends with general-purpose plasticizers to improve low-temperature properties. They are effective for extremely low-temperature applications and for indirect food contact applications.

## 3. Physical / Chemical Properties

Jayflex DIDA Plasticizer is a non-hazardous material. The material is classified as a static accumulator. Although the material has a relatively low vapor pressure, it should be handled only with adequate ventilation and in areas where ignition sources have been removed (e.g. open flames, static electricity sources, unprotected light switches). The flash point is 439°F / 226°C.

## 4. Health Information

Jayflex DIDA Plasticizer is generally recognized to have low acute toxicity if ingested, inhaled or after skin contact. This material is expected to present a low risk for chronic toxicity. Excessive exposure can cause eye, skin or lung irritation. If prolonged or repeated skin contact is likely, the use of chemical resistant gloves is recommended. This product is not regarded as a mutagen or carcinogen, and there is low concern for reproductive, developmental, or nervous system toxic effects.

## 5. Additional Hazard Information

No special requirements under ordinary conditions of use and with adequate ventilation.

## 6. Food Contact Regulated Uses

Appropriate manufacturing and distribution practices are employed to ensure the quality of this product when offered for use in indirect food contact applications.

## Product Safety Summary

JAYFLEX™ DIDA Plasticizer

**ExxonMobil**  
Chemical

### 7. Environmental Information

Jayflex DIDA Plasticizer is not expected to cause short-term toxicity to fish or other aquatic organisms because of its low solubility in water. Long-term effects (chronic aquatic toxicity) are not expected because of low toxicity and biodegradation that results in a low potential for chronic exposure to aquatic organisms (following, for example, an accidental spill). This material biodegrades slowly but will not persist in the environment.

### 8. Exposure Potential

Based on the uses for Jayflex DIDA Plasticizer, the public could be exposed through:

- **Workplace exposure** – This refers to potential exposure in a manufacturing facility or through use in various industrial applications. Generally, exposure of personnel in manufacturing facilities is relatively low because the low vapor pressure limits exposure potential. The best way to prevent exposure to vapors is to work in well-ventilated areas.
- **Consumer use of products containing Jayflex DIDA Plasticizer** – This chemical is not sold directly to the public for general consumer uses. As a result of its use in plasticizer applications, exposure of the majority of consumers is not expected. If exposure does occur, it is likely to be infrequent and of short duration.
- **Environmental releases** – As a chemical manufacturer, we are committed to operating in an environmentally responsible manner everywhere we do business. Our efforts are guided by in-depth scientific understanding of the environmental impact of our operations, as well as by the social and economic needs of the communities in which we operate. Industrial spills or releases are rare; however a spill may pose a significant flammability issue. Our operational improvement targets and plans are based on driving incidents with real environmental impact to zero and delivering superior environmental performance.

### 9. Manufacture of Product

- **Process** – Synthesized by esterifying adipic acid with C9-C11 branched alcohols (predominantly C10) in the presence of a catalyst.

### 10. Risk Management

- **Workplace Risk Management** – When using this product, make sure that there is adequate ventilation. Always use chemical resistant gloves to protect your hands and skin and always wear eye protection such as chemical goggles. Do not eat, drink, or smoke where chemicals are handled, processed, or stored. Wash hands and skin following contact. If this product gets into your eyes, rinse eyes thoroughly for at least 15 minutes with tap water and seek medical attention. Please refer to the Safety Data Sheet.
- **Consumer Risk Management** - This chemical is not sold directly to the public for general consumer uses. As a result of its use in plasticizer applications, exposure of the majority of consumers is not expected. If exposure should occur, it is expected to be infrequent and of short duration. Always follow manufacturers' instructions, warnings and handling precautions when using their products.

# Product Safety Summary

JAYFLEX™ DIDA Plasticizer

**ExxonMobil**  
Chemical

## 11. Regulatory Information

Regulations may exist that govern the manufacture, sale, transportation, use and/or disposal of this chemical and may vary by city, state, country or geographic region. Additional helpful information may be found by consulting the relevant ExxonMobil Safety Data Sheet at:

- <http://www.msds.exxonmobil.com/psims/psims.aspx?brand=xomcc>

## 12. Conclusion Statements

Jayflex DIDA Plasticizer ...

- is used in plasticizer applications.
- is low in toxicity.
- does not cause adverse health or environmental effects at levels typically found in the workplace or environment.
- should only be used with good ventilation; avoiding all ignition sources.

*©2016 ExxonMobil. The information and recommendations contained herein are, to the best of ExxonMobil's knowledge and belief, accurate and reliable as of the date issued. You can contact ExxonMobil to insure that this document is the most current available from ExxonMobil. Users of chemical products should refer to the product labels and applicable Material Safety Data Sheets for information and recommendations as to the safe handling and use of this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted. The term, "ExxonMobil" is used for convenience, and may include any one or more of ExxonMobil Chemical Company, Exxon Mobil Corporation, or any affiliates in which they directly or indirectly hold any interest. ExxonMobil, the ExxonMobil Logo and the "Interlocking X" Device, and product names used herein are trademarks or registered trademarks of Exxon Mobil Corporation and/or its affiliates, unless otherwise noted.*